





Issuance date: 28.06.2024 Validity date: 28.06.2029

Thermano Wall ETICS



Owner of the EPD:

Balex Metal Sp. z o. o. Address: Wejherowska 12C 84-239 Bolszewo, Poland Contact: kontakt@balex.eu Website: www.balex.eu

EPD Program Operator:

Instytut Techniki Budowlanej (ITB) Address: Filtrowa 1 00-611 Warsaw, Poland Website: www.itb.pl Contact: energia@itb.pl

ITB is the verified member of The European Platform for EPD program operators and LCA practitioner www.eco-platform.org

Basic information

This declaration is the Type III Environmental Product Declaration (EPD) based on EN 15804+A2 and verified according to ISO 14025 by an external auditor. It contains the information on the impacts of the declared construction materials on the environment. Their aspects were verified by the independent body according to ISO 14025. Basically, a comparison or evaluation of EPD data is possible only if all the compared data were created according to EN 15804+A2.

Life cycle analysis (LCA): A1-A3, C1-C4 and D modules in accordance with EN 15804+A2 (Cradle-to-Gate with options)

The year of preparing the EPD: 2024

Service Life: > 25 years PCR: ITB-PCR A, v. 1.6 Declared unit: 1 m²

Reasons for performing LCA: B2B Representativeness: Polish, European

MANUFACTURER

Balex Metal Sp. z o. o. is a manufacturer of sandwich panels, roofing sheets, thermal insulation, cold-formed profiles, guttering and trapezoidal sheets. For more than 25 years it has been present in the market of building materials manufacturers, providing solutions for industrial, residential and agricultural construction.

Balex Metal Sp. z o. o. is a sandwich panel manufacturer in this part of the globe, with their materials sold to destinations across the planet, from the USA to New Zealand. Balex Metal Sp. z o. o. has production facilities in Poland and Slovakia: Bolszewo, Tomaszów Mazowiecki, Długołęka (near Wrocław), Zylina (Slovakia). They have 11 sales branches:

Poland

- Bolszewo
- Tomaszów Mazowiecki
- Wrocław
- Pustków

Slovakia

Zylina

Czech Republic

- Hradec Kralove
- Plzen-Slovany
- Luka na Jihlavou

Latvia

- Riga
- Broceni



Figure 1 A view of Balex Metal production plant located in Bolszewo (Poland).

PRODUCTS DESCRIPTION AND APPLICATION

THERMANO WALL ETICS

Modular width [mm]: 1200 (BASIC)

Overall width [mm]: 1200 Standard length [mm]: 600

Thickness [mm]:, 80, 100, 110, 120, 140, 160

Cladding: 20 mm EPS Styrofoam

Age-weighted thermal conductivity coefficient, λ

[W/mK]:

0,025 for thickness: 80÷110 mm0,024 for thickness: 120÷160 mm

Core volumetric density [kg/m³]: 30

Tensile strength: min. 80 kPa

Reaction to fire class: Euroclass E, ref. EN ISO 13501-2

THERMANO ETICS is an insulation system consisting of THERMANO thermal insulation board and EPS polystyrene foam. The combination of these materials allows you to easily combine the high thermal insulation of PIR foam with the ease of finishing of EPS.



LIFE CYCLE ASSESSMENT (LCA) – general rules applied

Declared Unit

The declaration refers to declared unit (DU) – 1 m² of Thermano Wall ETICS

Allocation

The allocation rules used for this EPD are based on general ITB PCR A, v. 1.6. Production of Thermano Wall ETICS is a line process conducted in the factory of Balex Metal Sp. z o.o., located in Tomaszów Mazowiecki (Poland). Allocation was done on product mass basis.

All impacts from raw materials extraction and processing are allocated in module A1 of LCA. Impacts from the Balex Metal Sp. z o.o. production were inventoried on the annual production volume expressed in mass units. Water and energy consumption, associated emissions and generated wastes are allocated to module A3. Packaging materials were takien into consideration.

System limits

The life cycle analysis (LCA) of the declared products covers: product stage – modules A1-A3, end of life – modules C1-C4 and benefits and loads beyond the system boundary – module D (cradle-to-gate with options) in accordance with EN 15804+A2 and ITB PCR A, v. 1.6. All materials and energy consumption inventoried in factory were included in calculation. Office impacts were also taken into consideration. In the assessment, all significant parameters from gathered production data were



inventoried and were included in the calculations, i.e. all material used per formulation, utilised thermal energy, internal fuel and electric power consumption, direct production waste, water consumption and all available emission measurements.

It can be assumed that the total sum of omitted processes does not exceed 5% of all impact categories. In accordance with EN 15804+A2, machines and facilities (capital goods) required for the production as well as transportation of employees were not included in LCA.

Modules A1 and A2: Raw materials supply and transport

Raw materials such as laminates: EPS, kraft paper and chemical compounds, boundary tape, protective foil or packaging materials come from both local and foreign suppliers. Means of transport include big trucks (> 16 t), train and ship are applied. European standards for average combustion were used for calculations.

Module A3: Production

A scheme of the Thermano Wall ETICS production process is presented in Figure 2. Raw materials such as laminates: EPS, kraft paper and chemical compounds, boundary tape, protective foil or packaging materials are delivered to factory located in Tomaszów Mazowiecki, where are manufacturing in a few step process including mixing of components (polyols, isocyanates and primers) and PIR injection, lamination processing and cutting the panels. Then the panels are packing, palleting and shipment.




Figure 2. The scheme of Thermano Wall ETICS production process by Balex Metal Sp. z o.o.

Modules C1-C4 and D: End-of-life (EoL)

It is assumed that at the end-of-life, 100% of Thermano Wall ETICS are demounted using electric tools (module C1) and is transported to waste processing plant which is 100 km away, on 16-32 t lorry EURO 5 (module C2). It is assumed that 40% of PIR cores and 50% of laminates are energy recovery. The residue wastes are forwarded to a landfill in the form of mixed construction and demolition wastes (60% PIR cores and 50% laminates). End-of-life scenario was summarized in Table 1. Environmental burdens declared in module C4 are associated with waste-specific emissions to air and groundwater. A potential credit resulting from the recycling are presented in module D.

Table 1. End-of-life scenario for Thermano Wall ETICS panels manufactured by Balex Metal Sp. z o.o.

| Material | Waste processing (energy / material recovery) | Landfilling |
|-----------|---|-------------|
| Laminates | 50% | 50% |
| PIR core | 40% | 60% |

Data quality

The data selected for LCA analysis originates from ITB-LCI questionnaires completed by Balex Metal Sp. z o.o. using the inventory data, ITB database, Ecoinvent database v. 3.10 and KOBiZE. KOBiZE data is supplemented with Ecoinvent v. 3.10 data on the national electricity mix impact where no specific indicator data is provided. No specific data collected is older than five years and no generic datasets used are older than ten years. The representativeness, completeness, reliability, and consistency are judged as good.

Data collection period

Primary data provided by Balex Metal Sp. z o.o. covers a period of 01.01.2022 – 31.12.2022 (1 year). The life cycle assessments were prepared for Poland and Europe as reference area.

Assumptions and estimates

The impacts of the representative of roof and wall Thermano Wall ETICS were inventoried and calculated based on consumption for all these products presented in Tables 4-7 for the PIR with densities of 30 kg/m³ and thickness of 100 mm. Conversion factors for different panel thicknesses are presented in Table 2.

Table 2. Conversion factors for the estimation of environmental impact for different panel thicknesses about density of 30 kg/m³. Multiply the LCA-result of each impact category in the environmental impact table with the corresponding factors.

| | Conve | rsion facto | ors for diff | erent pane | el thickness | es about de | nsity of 30 I | kg/m³ | |
|--------------------|--------|-------------|--------------|------------|--------------|-------------|---------------|--------|--------|
| Panel thickness | 100 mm | 110 mm | 120 mm | 130 mm | 140 mm | 150 mm | 160 mm | 170 mm | 180 mm |
| Conversion factor | 1.00 | 1.09 | 1.18 | 1.28 | 1.37 | 1.46 | 1.55 | 1.64 | 1.74 |

Calculation rules

LCA was performed using ITB-LCA tool developed in accordance with EN 15804 + A2.

Databases

The data for the processes comes from Ecoinvent v. 3.10 and ITB-Database. Specific data quality analysis was a part of external audit. Polish electricity mix used (production) is 0.685 kg CO₂/kWh (KOBiZE 2023).

LIFE CYCLE ASSESSMENT (LCA) - Results

Declared unit

The declaration refers to declared unit (DU) -1 m^2 of roof and wall Thermano Wall ETICS about density of 30 kg/m³ and thickness of 100 mm. Conversion factors for different panel thickness are presented above (Table 2).

Table 3. System boundaries for the environmental characteristic of Thermano Wall ETICS production process by Balex Metal Sp. z o.o.

| Eı | Environmental assessment information (MD – Module Declared, MND – Module Not Declared, INA – Indicator Not Assessed) | | | | | | | | | | | | | | | |
|---------------------|--|---------------|--------------------------------|---------------------------------------|-----|---|-----|-----|-----|-----|-----|---|---|----|----|----|
| Prod | uct sta | ge | Constr prod | ruction | | Use stage End of life | | | | | | | Benefits and loads beyond the system boundary | | | |
| Raw material supply | Transport | Manufacturing | Transport to construction site | Construction- installation process | Use | ment ment ment onal lise size size size size size size size s | | | | | | Reuse-recovery- recycling potential | | | | |
| A1 | A2 | А3 | A 4 | A 5 | B1 | B2 | В3 | В4 | B5 | В6 | В7 | C1 | C2 | СЗ | C4 | D |
| MD | MD | MD | MND | MND | MND | MND | MND | MND | MND | MND | MND | MD | MD | MD | MD | MD |

Table 4. Life cycle assessment (LCA) results for Thermano Wall ETICS about density of 30 kg/m³ and thickness of 100 mm manufactured by Balex Metal Sp. z o.o. - environmental impacts (DU: 1 m²)

| Indicator | Unit | A1 | A2 | А3 | A1-A3 | C1 | C2 | С3 | C4 | D |
|---|------------------------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| Global Warming Potential | eq. kg CO ₂ | 1,35E+01 | 3.71E-01 | 2.35E-01 | 1,41E+01 | 8,85E-02 | 5,57E-02 | 3,78E+00 | 2,14E+00 | -3,78E+00 |
| Greenhouse gas potential - fossil | eq. kg CO ₂ | 1,33E+01 | 3.66E-01 | 2.33E-01 | 1,39E+01 | 8,81E-02 | 5,55E-02 | 3,78E+00 | 2,14E+00 | -3,78E+00 |
| Greenhouse gas potential - biogenic | eq. kg CO ₂ | 1,05E-01 | 4.42E-03 | 1.36E-03 | 1,10E-01 | 3,21E-04 | 1,90E-04 | 3,17E-04 | 1,85E-04 | -3,17E-04 |
| Global warming potential - land use and land use change | eq. kg CO₂ | 8,15E-03 | 2.20E-04 | 7.34E-05 | 8,44E-03 | 8,35E-05 | 2,18E-05 | 3,12E-05 | 3,36E-05 | -3,12E-05 |
| Stratospheric ozone depletion potential | eq. kg CFC 11 | 8,73E-07 | 7.06E-08 | 9.81E-09 | 9,53E-07 | 1,49E-09 | 1,28E-08 | 3,16E-09 | 1,82E-09 | -3,16E-09 |
| Soil and water acidification potential | eq. mol H+ | 8,17E-02 | 1.56E-03 | 2.23E-03 | 8,55E-02 | 6,50E-04 | 2,25E-04 | 2,85E-03 | 5,41E-03 | -2,85E-03 |
| Eutrophication potential - freshwater | eq. kg P | 4,60E-03 | 7.60E-05 | 3.73E-04 | 5,04E-03 | 8,71E-05 | 3,73E-06 | 1,69E-05 | 1,00E-05 | -1,69E-05 |
| Eutrophication potential - seawater | eq. kg N | 2,41E-02 | 4.83E-04 | 3.21E-04 | 2,49E-02 | 1,62E-04 | 6,80E-05 | 2,19E-03 | 2,90E-02 | -2,19E-03 |
| Eutrophication potential - terrestrial | eq. mol N | 1,37E-01 | 5.18E-03 | 2.75E-03 | 1,45E-01 | 1,49E-03 | 7,42E-04 | 1,53E-02 | 3,03E-02 | -1,53E-02 |
| Potential for photochemical ozone synthesis | eq. kg NMVOC | 7,09E-02 | 1.57E-03 | 9.55E-04 | 7,34E-02 | 4,73E-04 | 2,27E-04 | 3,74E-03 | 7,57E-03 | -3,74E-03 |
| Potential for depletion of abiotic resources - non-fossil resources | eq. kg Sb | 1,38E-04 | 1.24E-06 | 3.18E-07 | 1,40E-04 | 1,99E-07 | 1,97E-07 | 3,73E-07 | 2,37E-07 | -3,73E-07 |
| Abiotic depletion potential - fossil fuels | MJ | 3,10E+02 | 5.37E+00 | 3.91E+00 | 3,20E+02 | 1,31E+00 | 8,24E-01 | 1,87E+00 | 1,24E+00 | -1,87E+00 |
| Water deprivation potential | eq. m³ | 1,26E+01 | 3.28E-02 | 6.91E-02 | 1,27E+01 | 4,89E-02 | 3,81E-03 | 2,38E-01 | 1,06E-01 | -2,38E-01 |

Table 5. Life cycle assessment (LCA) results for Thermano Wall ETICS about density of 30 kg/m 3 and thickness of 100 mm manufactured by Balex Metal Sp. z o.o. - additional impacts indicators (DU: 1 m^2)

| Indicator | Unit | A 1 | A2 | А3 | A1-A3 | C1 | C2 | C3 | C4 | D |
|--|----------------------|------------|-----|-----|-------|-----|-----|-----|-----|-----|
| Particulate matter | disease incidence | INA | INA | INA | INA | INA | INA | INA | INA | INA |
| Potential human exposure efficiency relative to U235 | eg. kBq U235 | INA | INA | INA | INA | INA | INA | INA | INA | INA |
| Potential comparative toxic unit for ecosystems | CTUe | INA | INA | INA | INA | INA | INA | INA | INA | INA |
| Potential comparative toxic unit for humans (cancer effects) | CTUh | INA | INA | INA | INA | INA | INA | INA | INA | INA |
| Potential comparative toxic unit for humans (non-cancer effects) | CTUh | INA | INA | INA | INA | INA | INA | INA | INA | INA |
| Potential soil quality index | dimensionless | INA | INA | INA | INA | INA | INA | INA | INA | INA |

Table 6. Life cycle assessment (LCA) results for Thermano Wall ETICS about density of 30 kg/m³ and thickness of 100 mm manufactured by Balex Metal Sp. z o.o. - environmental aspects related to resource use (DU: 1 m²)

| Indicator | Unit | A 1 | A2 | А3 | A1-A3 | C1 | C2 | C3 | C4 | D |
|--|----------------|------------|----------|----------|----------|-----------|----------|-----------|-----------|-----------|
| Consumption of renewable primary energy - excluding renewable primary energy sources used as raw materials | MJ | 1.78E+01 | 1.87E-01 | 2.43E-01 | 1.82E+01 | -1.80E+01 | 1.18E-02 | 3.92E-02 | 2.60E-02 | -3.92E-02 |
| Consumption of renewable primary energy resources used as raw materials | MJ | 1.08E+00 | 0.00E+00 | 0.00E+00 | 1.08E+00 | 1.80E+01 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Total consumption of renewable primary energy resources | MJ | 1.88E+01 | 1.87E-01 | 2.44E-01 | 1.93E+01 | 5.94E-02 | 1.18E-02 | 3.92E-02 | 2.60E-02 | -3.92E-02 |
| Consumption of non-renewable primary energy - excluding renewable primary energy sources used as raw materials | MJ | 2.27E+02 | 5.37E+00 | 3.66E+00 | 2.36E+02 | 1.35E+00 | 8.24E-01 | -4.16E+01 | -6.06E+01 | 4.16E+01 |
| Consumption of non-renewable primary energy resources used as raw materials | MJ | 8.31E+01 | 0.00E+00 | 0.00E+00 | 8.31E+01 | 0.00E+00 | 0.00E+00 | 4.35E+01 | 6.18E+01 | -4.35E+01 |
| Total consumption of non-renewable primary energy resources | MJ | 3.11E+02 | 5.37E+00 | 4.16E+00 | 3.20E+02 | 1.35E+00 | 8.24E-01 | 1.87E+00 | 1.24E+00 | -1.87E+00 |
| Consumption of secondary materials | kg | 4.28E-02 | 2.59E-03 | 3.10E-04 | 4.57E-02 | 1.26E-03 | 2.76E-04 | 7.91E-04 | 5.43E-04 | -7.91E-04 |
| Consumption of renewable secondary fuels | MJ | 1.00E-03 | 1.96E-05 | 1.61E-06 | 1.02E-03 | 1.53E-05 | 3.04E-06 | 2.49E-05 | 1.27E-05 | -2.49E-05 |
| Consumption of non-renewable secondary fuels | MJ | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Net consumption of freshwater resources | m ³ | 3.04E-01 | 8.91E-04 | 1.11E-03 | 3.06E-01 | 8.92E-04 | 1.04E-04 | 4.78E-03 | -1.68E-04 | -4.78E-03 |

Table 7. Life cycle assessment (LCA) results for Thermano Wall ETICS about density of 30 kg/m³ and thickness of 100 mm manufactured by Balex Metal Sp. z o.o. - environmental information describing waste categories (DU: 1 m²)

| Indicator | Unit | A1 | A2 | А3 | A1-A3 | C1 | C2 | C3 | C4 | D |
|---------------------------------|------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| Hazardous waste. neutralized | kg | 2.37E-01 | 7.55E-03 | 6.59E-04 | 2.45E-01 | 9.99E-03 | 9.25E-04 | 6.32E-02 | 2.85E-02 | -6.32E-02 |
| Non-hazardous waste neutralised | kg | 2.75E+00 | 3.54E-01 | 2.04E-02 | 3.12E+00 | 5.24E+00 | 1.64E-02 | 1.58E+00 | 4.42E+00 | -1.58E+00 |
| Radioactive waste | kg | 2.75E-04 | 3.36E-05 | 4.31E-06 | 3.13E-04 | 7.28E-07 | 5.68E-06 | 4.47E-07 | 3.71E-07 | -4.47E-07 |
| Components for reuse | kg | 0.00E+00 | 0.00E+00 | 7.36E-02 | 7.36E-02 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Materials for recycling | kg | 3.38E-03 | 3.65E-05 | 2.15E-05 | 3.43E-03 | 1.08E-05 | 2.55E-06 | 1.15E-05 | 9.95E-06 | -1.15E-05 |
| Materials for energy recovery | kg | 6.36E-06 | 1.68E-07 | 6.03E-03 | 6.04E-03 | 5.53E-08 | 2.06E-08 | 2.37E-07 | 1.24E-07 | -2.37E-07 |
| Energy exported | MJ | 8.42E-01 | 7.82E-03 | 9.96E-03 | 8.59E-01 | 1.96E-03 | 9.14E-04 | 1.01E-03 | 7.28E-04 | -1.01E-03 |

Verification

The process of verification of this EPD is in accordance with ISO 14025 and ISO 21930. After verification, this EPD is valid for a 5-year-period. EPD does not have to be recalculated after 5 years, if the underlying data have not changed significantly.

| The basis for LCA analysis was EN 15804+A2 and ITB PCR A | | | | | | | | |
|--|-------------------------|--|--|--|--|--|--|--|
| Independent verification corresponding to ISO 14025 (subclause 8.1.3.) | | | | | | | | |
| Independent verification corresponding to 150 1 | 4023 (Subclause 0.1.5.) | | | | | | | |
| x external internal | | | | | | | | |
| External verification of EPD: Halina Prejzner, PhD En | ng | | | | | | | |
| LCA, LCI audit and input data verification: Mateusz Kozicki, PhD | | | | | | | | |
| Verification of LCA: Michał Piasecki, PhD. DSc. Eng | | | | | | | | |

Note 1: The declaration owner has the sole ownership, liability and responsibility for the information provided and contained in EPD. Declarations within the same product category but from different programmes may not be comparable. Declarations of construction products may not be comparable if they do not comply with EN 15804 + A2. For further information about comparability, see EN 15804 + A2 and ISO 14025. Depending on the application, a corresponding conversion factor such as the specific weight per surface area must be taken into consideration.

Note 2: ITB is a public Research Organization and Notified Body (EC Reg. no 1488) to the European Commission and to other Member States of the European Union designated for the tasks concerning the assessment of building products' performance. ITB acts as the independent, third-party verification organization (17065/17025 certified). ITB-EPD program is recognized and registered member of The European Platform – Association of EPD program operators and ITB-EPD declarations are registered and stored in the international ECO-PORTAL.

Normative references

- ITB PCR A. v. 1.6 General Product Category Rules for Construction Products
- EN 14509: 2013-12 Self-supporting double skin metal faced insulating panels Factory made products
 Specifications
- ISO 14025:2006. Environmental labels and declarations Type III environmental declarations Principles and procedures
- ISO 21930:2017 Sustainability in buildings and civil engineering works Core rules for environmental product declarations of construction products and services
- ISO 14044:2006 Environmental management Life cycle assessment Requirements and guidelines
- ISO 15686-1:2011 Buildings and constructed assets Service life planning Part 1: General principles and framework
- ISO 15686-8:2008 Buildings and constructed assets Service life planning Part 8: Reference service life and service-life estimation
- ISO 20915:2018 Life cycle inventory calculation methodology for steel products
- EN 15804:2012+A2:2019 Sustainability of construction works Environmental product declarations Core rules for the product category of construction products
- ISO 14067:2018 Greenhouse gases Carbon footprint of products Requirements and guidelines for quantification
- EN 15942:2012 Sustainability of construction works Environmental product declarations
 Communication format business-to-business
- KOBiZE Emissions (CO₂. SO₂. NO_x. CO and total dust) from electricity, 2023





Thermal Physics, Acoustics and Environment Department 02-656 Warsaw, Ksawerów 21

CERTIFICATE № 641/2024 of TYPE III ENVIRONMENTAL DECLARATION

Products:

Thermano Wall ETICS

Manufacturer:

Balex Metal Sp. z o. o.

Wejherowska 12C, 84-239 Bolszewo, Poland

confirms the correctness of the data included in the development of Type III Environmental Declaration and accordance with the requirements of the standard

EN 15804+A2

Sustainability of construction works.

Environmental product declarations.

Core rules for the product category of construction products.

This certificate, issued on 28th June 2024 is valid for 5 years or until amendment of mentioned Environmental Declaration

Head of the Thermal Physic, Acoustics and Environment Department

gnieszka Winkler-Skalna, PhD

THE CHNIK! SUN THINGS THE CHNIK!

Deputy Director for Research and Innovation

Krzysztof Kuczyński, PhD

Warsaw, June 2024